

Order Form

1. Base

Are you using the hup! Base? Yes No

If yes, please answer the questions below:

What height is the base DPC to ground?.....

Which foundations will you be using? Pads Ground screws

If using ground screw, please indicate the name of your ground screw provider. GBGS Other supplier

Which skirt finish do you require? Plain Brick slips (brick type)

If you have a sloping skirt, please draw it on the diagram, giving a measurement every metre.

If you would like brick slips, please let us know the brick type and mortar colour.

Brick type	Red Multi	Smooth Anthracite	Smooth Red	Rustic Buff Multi
------------	-----------	-------------------	------------	-------------------


Mortar colour Grey Sand Red

Intrusions needed (please mark on the base plan below) **Drain cover** **Obstruction** **Drain Pipes**

Please draw the footprint of your building marking each elevation A, B, C, D etc. Tick the box to indicate which dimension you are using

Existing base size	Finished wall size	hup! base size (to edge of hup! clips)
10'0"	10'0"	10'0"
10'6"	10'6"	10'6"
11'0"	11'0"	11'0"
11'6"	11'6"	11'6"
12'0"	12'0"	12'0"
12'6"	12'6"	12'6"
13'0"	13'0"	13'0"
13'6"	13'6"	13'6"
14'0"	14'0"	14'0"
14'6"	14'6"	14'6"
15'0"	15'0"	15'0"
15'6"	15'6"	15'6"
16'0"	16'0"	16'0"
16'6"	16'6"	16'6"
17'0"	17'0"	17'0"
17'6"	17'6"	17'6"
18'0"	18'0"	18'0"
18'6"	18'6"	18'6"
19'0"	19'0"	19'0"
19'6"	19'6"	19'6"
20'0"	20'0"	20'0"
20'6"	20'6"	20'6"
21'0"	21'0"	21'0"
21'6"	21'6"	21'6"
22'0"	22'0"	22'0"
22'6"	22'6"	22'6"
23'0"	23'0"	23'0"
23'6"	23'6"	23'6"
24'0"	24'0"	24'0"
24'6"	24'6"	24'6"
25'0"	25'0"	25'0"
25'6"	25'6"	25'6"
26'0"	26'0"	26'0"
26'6"	26'6"	26'6"
27'0"	27'0"	27'0"
27'6"	27'6"	27'6"
28'0"	28'0"	28'0"
28'6"	28'6"	28'6"
29'0"	29'0"	29'0"
29'6"	29'6"	29'6"
30'0"	30'0"	30'0"
30'6"	30'6"	30'6"
31'0"	31'0"	31'0"
31'6"	31'6"	31'6"
32'0"	32'0"	32'0"
32'6"	32'6"	32'6"
33'0"	33'0"	33'0"
33'6"	33'6"	33'6"
34'0"	34'0"	34'0"
34'6"	34'6"	34'6"
35'0"	35'0"	35'0"
35'6"	35'6"	35'6"
36'0"	36'0"	36'0"
36'6"	36'6"	36'6"
37'0"	37'0"	37'0"
37'6"	37'6"	37'6"
38'0"	38'0"	38'0"
38'6"	38'6"	38'6"
39'0"	39'0"	39'0"
39'6"	39'6"	39'6"
40'0"	40'0"	40'0"
40'6"	40'6"	40'6"
41'0"	41'0"	41'0"
41'6"	41'6"	41'6"
42'0"	42'0"	42'0"
42'6"	42'6"	42'6"
43'0"	43'0"	43'0"
43'6"	43'6"	43'6"
44'0"	44'0"	44'0"
44'6"	44'6"	44'6"
45'0"	45'0"	45'0"
45'6"	45'6"	45'6"
46'0"	46'0"	46'0"
46'6"	46'6"	46'6"
47'0"	47'0"	47'0"
47'6"	47'6"	47'6"
48'0"	48'0"	48'0"
48'6"	48'6"	48'6"
49'0"	49'0"	49'0"
49'6"	49'6"	49'6"
50'0"	50'0"	50'0"
50'6"	50'6"	50'6"
51'0"	51'0"	51'0"
51'6"	51'6"	51'6"
52'0"	52'0"	52'0"
52'6"	52'6"	52'6"
53'0"	53'0"	53'0"
53'6"	53'6"	53'6"
54'0"	54'0"	54'0"
54'6"	54'6"	54'6"
55'0"	55'0"	55'0"
55'6"	55'6"	55'6"
56'0"	56'0"	56'0"
56'6"	56'6"	56'6"
57'0"	57'0"	57'0"
57'6"	57'6"	57'6"
58'0"	58'0"	58'0"
58'6"	58'6"	58'6"
59'0"	59'0"	59'0"
59'6"	59'6"	59'6"
60'0"	60'0"	60'0"
60'6"	60'6"	60'6"
61'0"	61'0"	61'0"
61'6"	61'6"	61'6"
62'0"	62'0"	62'0"
62'6"	62'6"	62'6"
63'0"	63'0"	63'0"
63'6"	63'6"	63'6"
64'0"	64'0"	64'0"

hup! Base DPC to ground level
dimension required



hup! on existing wall

Is hup! going on a existing wall? Yes No

What is the thickness of existing wall?mm

Do you want it on cill or full clad? Cill (use internal frame dimension) Full Clad (use external base dimension)

If on cill, please send over ONLY the internal frame dimension. If using full clad, please send over ONLY the external base dimensions.

[illegible]

Extended Base Tray required?

Width of Cavity wall 300mm. See hup! Specification Guide for more details.

Please note hup! walls will protrude at least 45mm (25mm for battens, plus c15mm depending on claddings) outside of your base so that the wall finishes (claddings) will be ventilated. All critical dimensions will be confirmed before order stage.

Order Form



2. Elevations

Please draw each elevation of your hup! walls marking the elevations clearly with A, B, C, D etc. Include window and doors sizes and distance from the eaves as well as the floor clearly.

Tick this box if you require the cable management panel which is supplied on all panels above 560mm.

A large rectangular area filled with a light gray grid, intended for drawing the elevations of the walls. The grid consists of small squares, providing a scale for the drawings.

Order Form

3. Wall Finishes

The type of wall finish can change the sequence of the battens and calcium silicate board, please tick the wall finish for this project?

Brick Slips

Steel façade (Boundary only)

Render

External Cladding - Type

4. Walling kit

Please tick the box to confirm which elements of the walling kit you will require to be supplied by Ultraframe.

None - I am supplying my own

Ventilation trim only

Aperture trim only

Batten kit (includes battens and fixings)

Render Board kit (includes ventilation trim, aperture trims and battens)

Brick Slip Rails (includes trims, battens and render Board. Brick slips not supplied)

5. Aperture Trim Colour

White

Smooth Grey

Light Oak

Rosewood

Surveyor's Details

If you would like us to liaise with your surveyor on this hup! order, please put contact details below.

NAME:

CONTACT NO:

EMAIL ADDRESS: